

# Madhya Pradesh Pollution Control Board

Environment Surveillance Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180, PBX : 2466191, Fax : 0755-2463742 E-mail : ercmppcb@nic.in Web : www.ercmp.nic.in

No. *454* /HOPCB/ERC/2017

Bhopal, Dt: *16/03*/2017

To,

1. **Regional Officer**  
**M.P. Pollution Control Board**  
**Bhopal/Indore/Gwalior/Jabalpur/ Shahdol**  
**Sagar/Chhindwara/Singrauli/Satna/ Rewa**  
**Guna/Dewas/Katni/ Dhar/Ujjain/ Pithampur**
2. **All the Unit Heads / Laboratory Heads, MPPCB**

**Sub: Compliance of Specifications in CAAQM Installations by Industries.**

Ref. : CPCB Letter no. A-2018/7/03-Mon./Dated 15.02.2017.

While granting environmental clearance, various conditions and environmental safeguards are stipulated which are required to be implemented by the project proponents during various stages of project cycle. One of the important conditions include installation of Continuous Ambient Air Quality Monitoring Systems (CAAQMS) by industries for keeping a constant watch on the air quality for the benefit of the health of the people in the surrounding locations.

Owing to the stated impotence you are requested to ensure that the installation of CAAQMS is done properly by the industries and all the specifications published by CPCB are followed by them strictly. Copy of specifications can be accessed by clicking any of the following links :

[http://www.ercmp.nic.in/adminfiles/RTM/CAAQMS\\_Specs\\_new.pdf](http://www.ercmp.nic.in/adminfiles/RTM/CAAQMS_Specs_new.pdf) OR

[http://cpcb.nic.in/TECHNICAL\\_SPECIFICATIONS\\_FOR\\_CAAQMS\\_modified\\_by\\_air\\_Lab\\_final\(1\).pdf](http://cpcb.nic.in/TECHNICAL_SPECIFICATIONS_FOR_CAAQMS_modified_by_air_Lab_final(1).pdf)

Yours Faithfully,

  
(A.A. Mishra)  
Member Secretary