

Madhya Pradesh Pollution Control Board

Environment Surveillance Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 433 /HOPCB/ERC/2017

Bhopal, Dt: 20/02/2017

To,

✓
The Regional Officer
Regional office
M.P. Pollution Control Board
Gwalior (M.P.)

Sub: Preparation for Setting up of CAAQMS in Million-plus cities under CSR Fund.

Ref. : This office letter no. 409/ERC/MPPCB/Dated 06.02.2017

This is in continuation to the referred letter addressed by the Member Secretary. It is expected that necessary preparatory process must be underway at your end for setting up of 03 CAAQMS at earmarked locations in the Gwalior city. Coordination strategy with the concerned agencies and road-map must also have been chalked out by now to take up the task soon after getting the go-ahead from Central Pollution Control Board. The revised specifications of CAAQMS can be referred at <http://www.ercmp.nic.in/ESC/Guideline.aspx>. A copy of the minutes of the meeting held at CPCB Delhi for finalizing the *project modalities* is attached herewith for review and needful action.

Meanwhile the information desired from your office as per requirement of CPCB is still awaited. Please arrange to furnish the same without any further delay so that the same can be forwarded to the apex office to meet their needs for onward action.

Yours Faithfully,

Encl. A/a.


(Dr. Reeta Kori)
Chief Scientific Officer

for

Madhya Pradesh Pollution Control Board

Environment Surveillance Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742, E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 435/HOPCB/ERC/2017

Bhopal, Dt: 20/02/2017

To,

✓
The Regional Officer
Regional office
M.P. Pollution Control Board
Indore (M.P.)

Sub: Preparation for Setting up of CAAQMS in Million-plus cities under CSR Fund.

Ref. : This office letter no. 408/ERC/MPPCB/Dated 06.02.2017

This is in continuation to the referred letter addressed by the Member Secretary. It is expected that necessary preparatory process must be underway at your end for setting up of CAAQMS at earmarked locations in the Indore city. Coordination strategy with the concerned agencies and road-map must also have been chalked out by now to take up the task soon after getting the go-ahead from Central Pollution Control Board. A copy of the minutes of the meeting held at CPCB Delhi for finalizing the *project modalities* is attached herewith for review and needful action. The revised specifications of CAAQMS can be referred at <http://www.ercmp.nic.in/ESC/Guideline.aspx>. As indicated in the minutes the number of CAAQMS in Indore city has been reduced to one from the earlier sanctioned three stations in the current financial year.

Meanwhile the information desired from your office as per requirement of CPCB is still awaited. Please arrange to furnish the same without any further delay so that the same can be forwarded to the apex office to meet their needs for onward action.

Yours Faithfully,

Encl. A/a.



(Dr. Reeta Kori)
Chief Scientific Officer

Ret

Madhya Pradesh Pollution Control Board

Environment Surveillance Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 434 /HOPCB/ERC/2017

Bhopal, Dt: 20/02/2017

To,

✓
The Regional Officer
Regional office
M.P. Pollution Control Board
Jabalpur (M.P.)

Sub: Preparation for Setting up of CAAQMS in Million-plus cities under CSR Fund.

Ref. : This office letter no. 408/ERC/MPPCB/Dated 06.02.2017

This is in continuation to the referred letter addressed by the Member Secretary. It is expected that necessary preparatory process must be underway at your end for setting up of CAAQMS at earmarked locations in the Jabalpur city. Coordination strategy with the concerned agencies and road-map must also have been chalked out by now to take up the task soon after getting the go-ahead from Central Pollution Control Board. A copy of the minutes of the meeting held at CPCB Delhi for finalizing the *project modalities* is attached herewith for review and needful action. The revised specifications of CAAQMS can be referred at <http://www.ercmp.nic.in/ESC/Guideline.aspx>. As indicated in the minutes the number of CAAQMS in Jabalpur city has been reduced to one from the earlier sanctioned three stations in the current financial year.

Meanwhile the information desired from your office as per requirement of CPCB is still awaited. Please arrange to furnish the same without any further delay so that the same can be forwarded to the apex office to meet their needs for onward action.

Yours Faithfully,

Encl. A/a.



(Dr. Reeta Kori)
Chief Scientific Officer

25

Madhya Pradesh Pollution Control Board

Environment Surveillance Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph : 0755-2469180, PBX : 2464428, Fax : 0755-2463742 E-mail : ercmppcb@mp.nic.in Web : www.ercmp.nic.in

No. 432/HOPCB/ERC/2017

Bhopal, Dt: 20/02/2017

To,

✓ The Regional Officer
Regional office
M.P. Pollution Control Board
Bhopal (M.P.)

Sub: Preparation for Setting up of CAAQMS in Million-plus cities under CSR Fund.

Ref. : This office letter no. 408/ERC/MPPCB/Dated 06.02.2017

This is in continuation to the referred letter addressed by the Member Secretary. It is expected that necessary preparatory process must be underway at your end for setting up of 03 CAAQMS at earmarked locations in the Bhopal city. Coordination strategy with the concerned agencies and road-map must also have been chalked out by now to take up the task soon after getting the go-ahead from Central Pollution Control Board. The revised specifications of CAAQMS can be referred at <http://www.ercmp.nic.in/ESC/Guideline.aspx>. A copy of the minutes of the meeting held at CPCB Delhi for finalizing the *project modalities* is attached herewith for review and needful action.

Meanwhile the information desired from your office as per requirement of CPCB is still awaited. Please arrange to furnish the same without any further delay so that the same can be forwarded to the apex office to meet their needs for onward action.

Yours Faithfully,

Encl. A/a.



(Dr. Reeta Kori)
Chief Scientific Officer

ret