

Madhya Pradesh Pollution Control Board

Emergency Response Centre

Paryawaran Parisar, E-5, Arera Colony, Bhopal -462 016 (M.P.)

Ph: 0755-2469180, PBX: 2466191, Fax: 0755-2463742 E-mail: ercmppcb@nic.in Web: www.erc.mp.gov.in

No. 312 /HOPCB/ERC/2018

Bhopal, Dt: 21/ 12 /2018

To,

M/s Virim Infotech Pvt. Ltd,
7-A/B-A Electronic Complex.
Pardesipura, Indore (M.P.).
PIN- 452011


Sub : Regarding ERC-MIS.

Ref: 1. Your letter No. Nil dated 22.11.2018
2. This office E-mail response dated 30.11.2018.

It is learnt vide aforesaid reference (1) that the development of ERC-MIS has been completed in all respect and same has been installed and handed over by your firm to the NIC team at MPPCB HQ in August 2018. This office has, however, brought to your notice repetitively regarding non-functionality of of ERC application. There appears to be some operational as well as database connectivity problem, rendering the ERC-MIS non-functional, which needs to be looked into.

As the ERC-MIS is a proprietary item, you are requested to install this entire application and database on Cloud Server of MPPCB. Information about Source code, database backup and technology framework used in the ERC-MIS may also shared with this office.

Your proposal, vide aforesaid reference (1), is appreciable and this office agrees with the condition proposed in para-3 of the referred letter. In view of this it is requested to look into the matter on priority and inform us about your plan to attend the MIS problem.



(H. K. Sharma)
Director, Environment

No. HOPCB/ERC/2018

Bhopal, Dt: / / 2018

Copy to :

1. The Head, Purchase Section, M.P. Pollution Control Board, Bhopal for information please.
2. The Head, IT Section, M.P. Pollution Control Board, Bhopal for information please.



(H.K. Sharma)
Director, Environment

Subject: **Fwd: Fw: MIS of ERC –Reg.**

To: mayank.pandey@pnestec.com

Cc: pur_mppcb15@rediffmail.com, MPPCB <it_mppcb@rediffmail.com>, "Shri Hemant Sharma, CE, MPPCB" <hsharma1091@gmail.com>, Shri H.S Malviya <hsmalviya-pcb@mp.gov.in>, pradeep.mahajan@viriminfotech.com, Shri Pracheer Dixit <dixitpracheer@gmail.com>

Date: 12/05/18 01:02 PM

From: "ercmppcb" <ercmppcb@nic.in>

ForwardedMessage (370kB)

New Doc 2018-11-30 10.54.57_1.pdf (273kB)

Kind Attn. : Shri Mayank Pandey, M/s Virim Infotech Pvt. Ltd., Indore

This is with reference to your attached letter dated 22.11.2018, addressed to the Member Secretary, MPPCB, Bhopal regarding ERC-MIS. Thank you for your proposal to extend the conditional support to make the ERC-MIS functional.

The ESC honour your proposal and agrees to stand by the condition proposed in para-3 of the referred letter. Kindly communicate your plan to attend the MIS to enable us to be present accordingly.

Regards.

Dr. Rajendra Chaturvedi
Scientist, ERC, MPPCB
Ph. : 0755-2469180, 8989879758

----- Original Message -----

From: **Purchase Section** <pur_mppcb15@rediffmail.com>

Date: Dec 1, 2018 2:57:23 PM

Subject: Fw: MIS of ERC –Reg.

To: it_mppcb@rediffmail.com, ercmppcb@mp.nic.in, ercmppcb@nic.in

Cc: pur_mppcb15@rediffmail.com

Sir,

Please find herewith attached file.

Note: Forwarded message attached

-- Original Message --

From: Pradeep Mahajan pradeep.mahajan@viriminfotech.com

To: it_mppcb@rediffmail.com

Cc: pur_mppcb15@rediffmail.com, ercmppcb@mp.nic.in, rchaturvedi-pcb@mp.gov.in, brajesh sharma

bs24465@gmail.com, Mayank Pandey mayank.pandey@pnestec.com

Subject: Re: MIS of ERC –Reg.

MP Pollution Control Board, Bhopal

Dr. Rajendra Chaturvedi

Scientist, ERC

M.P. Pollution Control Board

Bhopal - 462016, India

Ph : +91-755-2469180, 8989879758

----- Original Message ForwardedMessage -----

Subject: Re: MIS of ERC –Reg.

From: Pradeep Mahajan <pradeep.mahajan@viriminfotech.com>

Date: Fri, 30 Nov 2018 11:00:35 +0530