

Premises of M/s. KJS Cement Ltd., CAAQMS-3, Bandhavgarh Colony, Dist. Satna

(April - 2018)

Sr. No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/04/2018	23		Good	PM ₁₀
2	02/04/2018	55		Satisfactory	NO _x
3	03/04/2018	64		Satisfactory	NO _x
4	04/04/2018	38		Good	PM ₁₀
5	05/04/2018	310		Very Poor	PM _{2.5}
6	06/04/2018	430		Severe	SO ₂
7	07/04/2018	252		Poor	SO ₂
8	08/04/2018	298		Poor	PM _{2.5}
9	09/04/2018	334		Very Poor	NO _x
10	10/04/2018	416		Severe	NO _x
11	11/04/2018	233		Poor	SO ₂
12	12/04/2018	391		Very Poor	NO _x
13	13/04/2018	189		Moderate	NO _x
14	14/04/2018	329		Very Poor	SO ₂
15	15/04/2018	352		Very Poor	SO ₂
16	16/04/2018	308		Very Poor	NO _x
17	17/04/2018	434		Severe	NO _x
18	18/04/2018	344		Very Poor	NO _x
19	19/04/2018	185		Moderate	NO _x
20	20/04/2018	268		Poor	SO ₂
21	21/04/2018	351		Very Poor	NO _x
22	22/04/2018	453		Severe	NO _x
23	23/04/2018	265		Poor	NO _x
24	24/04/2018	313		Very Poor	NO _x
25	25/04/2018	401		Severe	NO _x
26	26/04/2018	316		Very Poor	SO ₂
27	27/04/2018	132		Moderate	SO ₂
28	28/04/2018	318		Very Poor	SO ₂
29	29/04/2018	37		Good	SO ₂
30	30/04/2018	199		Moderate	SO ₂