

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,
Rewa Road, Dist. Satna (M.P.)**

(April - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/04/2019	86		Satisfactory	PM ₁₀
2	02/04/2019	87		Satisfactory	PM ₁₀
3	03/04/2019	98		Satisfactory	PM ₁₀
4	04/04/2019	76		Satisfactory	PM ₁₀
5	05/04/2019	62		Satisfactory	PM ₁₀
6	06/04/2019	40		Good	PM ₁₀
7	07/04/2019	51		Satisfactory	PM ₁₀
8	08/04/2019	36		Good	NO _x
9	09/04/2019	45		Good	PM ₁₀
10	10/04/2019	59		Satisfactory	PM ₁₀
11	11/04/2019	40		Good	PM ₁₀
12	12/04/2019	43		Good	PM ₁₀
13	13/04/2019	59		Satisfactory	PM ₁₀
14	14/04/2019	89		Satisfactory	PM ₁₀
15	15/04/2019	111		Moderate	PM ₁₀
16	16/04/2019	56		Satisfactory	PM ₁₀
17	17/04/2019	42		Good	PM ₁₀
18	18/04/2019	67		Satisfactory	PM ₁₀
19	19/04/2019	88		Satisfactory	PM ₁₀
20	20/04/2019	83		Satisfactory	PM ₁₀
21	21/04/2019	79		Satisfactory	PM ₁₀
22	22/04/2019	63		Satisfactory	PM ₁₀
23	23/04/2019	96		Satisfactory	PM ₁₀
24	24/04/2019	100		Satisfactory	PM ₁₀
25	25/04/2019	85		Satisfactory	PM ₁₀
26	26/04/2019	89		Satisfactory	PM ₁₀
27	27/04/2019	89		Satisfactory	PM ₁₀
28	28/04/2019	84		Satisfactory	PM ₁₀
29	29/04/2019	69		Satisfactory	PM ₁₀
30	30/04/2019	60		Satisfactory	PM ₁₀
		-	-	-	-