

**Premises of M/s. Maihar Cement Ltd., CAAQMS-1, Near Water Filtration  
Plant, Sarlanagar, Maihar Dist. Satna (M.P.)**

**(April - 2019)**

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/04/2019	57		Satisfactory	PM <sub>10</sub>
2	02/04/2019	49		Good	PM <sub>10</sub>
3	03/04/2019	37		Good	PM <sub>10</sub>
4	04/04/2019	46		Good	PM <sub>10</sub>
5	05/04/2019	58		Satisfactory	PM <sub>10</sub>
6	06/04/2019	70		Satisfactory	PM <sub>10</sub>
7	07/04/2019	56		Satisfactory	PM <sub>10</sub>
8	08/04/2019	33		Good	PM <sub>10</sub>
9	09/04/2019	31		Good	PM <sub>10</sub>
10	10/04/2019	50		Good	PM <sub>10</sub>
11	11/04/2019	50		Good	PM <sub>10</sub>
12	12/04/2019	25		Good	PM <sub>10</sub>
13	13/04/2019	42		Good	PM <sub>10</sub>
14	14/04/2019	45		Good	PM <sub>10</sub>
15	15/04/2019	46		Good	PM <sub>10</sub>
16	16/04/2019	39		Good	PM <sub>10</sub>
17	17/04/2019	18		Good	PM <sub>10</sub>
18	18/04/2019	20		Good	PM <sub>10</sub>
19	19/04/2019	33		Good	PM <sub>10</sub>
20	20/04/2019	37		Good	PM <sub>10</sub>
21	21/04/2019	37		Good	PM <sub>10</sub>
22	22/04/2019	24		Good	PM <sub>10</sub>
23	23/04/2019	47		Good	PM <sub>10</sub>
24	24/04/2019	61		Satisfactory	PM <sub>10</sub>
25	25/04/2019	50		Good	PM <sub>10</sub>
26	26/04/2019	47		Good	PM <sub>10</sub>
27	27/04/2019	59		Satisfactory	PM <sub>10</sub>
28	28/04/2019	56		Satisfactory	PM <sub>10</sub>
29	29/04/2019	57		Satisfactory	PM <sub>10</sub>
30	30/04/2019	50		Good	PM <sub>10</sub>
		-	-	-	-