

**Premises of M/s. Reliance Cement Co. Pvt. Ltd. (Unit-1), CAAQMS-1, P.O.
Itahar, Bharouli, Dist. Satna (M.P.)**

(April - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/04/2019	41		Good	PM ₁₀
2	02/04/2019	883		Severe	PM ₁₀
3	03/04/2019	125		Moderate	PM ₁₀
4	04/04/2019	115		Moderate	PM ₁₀
5	05/04/2019	110		Moderate	PM ₁₀
6	06/04/2019	108		Moderate	PM ₁₀
7	07/04/2019	110		Moderate	PM ₁₀
8	08/04/2019	72		Satisfactory	PM ₁₀
9	09/04/2019	76		Satisfactory	PM ₁₀
10	10/04/2019	70		Satisfactory	PM ₁₀
11	11/04/2019	122		Moderate	PM ₁₀
12	12/04/2019	77		Satisfactory	PM ₁₀
13	13/04/2019	91		Satisfactory	PM ₁₀
14	14/04/2019	104		Moderate	PM ₁₀
15	15/04/2019	90		Satisfactory	PM ₁₀
16	16/04/2019	105		Moderate	PM ₁₀
17	17/04/2019	33		Good	PM ₁₀
18	18/04/2019	30		Good	PM ₁₀
19	19/04/2019	38		Good	PM ₁₀
20	20/04/2019	63		Satisfactory	PM ₁₀
21	21/04/2019	55		Satisfactory	PM ₁₀
22	22/04/2019	61		Satisfactory	PM ₁₀
23	23/04/2019	118		Moderate	PM ₁₀
24	24/04/2019	71		Satisfactory	PM ₁₀
25	25/04/2019	122		Moderate	PM ₁₀
26	26/04/2019	113		Moderate	PM ₁₀
27	27/04/2019	90		Satisfactory	PM ₁₀
28	28/04/2019	193		Moderate	PM ₁₀
29	29/04/2019	127		Moderate	PM ₁₀
30	30/04/2019	127		Moderate	PM ₁₀
		-	-	-	-