

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,
Rewa Road, Dist. Satna (M.P.)**

(April - 2020)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/04/2020	No Data	-	-	-
2	02/04/2020	No Data	-	-	-
3	03/04/2020	No Data	-	-	-
4	04/04/2020	No Data	-	-	-
5	05/04/2020	No Data	-	-	-
6	06/04/2020	No Data	-	-	-
7	07/04/2020	No Data	-	-	-
8	08/04/2020	No Data	-	-	-
9	09/04/2020	No Data	-	-	-
10	10/04/2020	No Data	-	-	-
11	11/04/2020	No Data	-	-	-
12	12/04/2020	No Data	-	-	-
13	13/04/2020	No Data	-	-	-
14	14/04/2020	No Data	-	-	-
15	15/04/2020	No Data	-	-	-
16	16/04/2020	No Data	-	-	-
17	17/04/2020	No Data	-	-	-
18	18/04/2020	No Data	-	-	-
19	19/04/2020	No Data	-	-	-
20	20/04/2020	38		Good	CO
21	21/04/2020	61		Satisfactory	PM _{2.5}
22	22/04/2020	No Data	-	-	-
23	23/04/2020	No Data	-	-	-
24	24/04/2020	No Data	-	-	-
25	25/04/2020	No Data	-	-	-
26	26/04/2020	No Data	-	-	-
27	27/04/2020	37		Good	CO
28	28/04/2020	I.D.	-	-	-
29	29/04/2020	I.D.	-	-	-
30	30/04/2020	I.D.	-	-	-

I.D. – Insufficient Data