

Premises of M/s. KJS Cement Ltd., CAAQMS-3, 17, Bandhavgarh Colony, Satna  
(M.P.)

(August - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/08/2019	30		Good	CO
2	02/08/2019	28		Good	CO
3	03/08/2019	33		Good	PM <sub>10</sub>
4	04/08/2019	27		Good	CO
5	05/08/2019	27		Good	CO
6	06/08/2019	35		Good	CO
7	07/08/2019	38		Good	CO
8	08/08/2019	41		Good	CO
9	09/08/2019	41		Good	CO
10	10/08/2019	51		Satisfactory	PM <sub>10</sub>
11	11/08/2019	40		Good	PM <sub>10</sub>
12	12/08/2019	38		Good	CO
13	13/08/2019	43		Good	CO
14	14/08/2019	46		Good	CO
15	15/08/2019	46		Good	CO
16	16/08/2019	43		Good	CO
17	17/08/2019	40		Good	CO
18	18/08/2019	37		Good	CO
19	19/08/2019	37		Good	CO
20	20/08/2019	34		Good	CO
21	21/08/2019	No Data	-	-	-
22	22/08/2019	37		Good	CO
23	23/08/2019	30		Good	CO
24	24/08/2019	35		Good	CO
25	25/08/2019	39		Good	CO
26	26/08/2019	40		Good	CO
27	27/08/2019	41		Good	CO
28	28/08/2019	41		Good	CO
29	29/08/2019	40		Good	CO
30	30/08/2019	55		Satisfactory	PM <sub>10</sub>
31	31/08/2019	249		Poor	PM <sub>10</sub>