

**Premises of M/s. Maihar Cement Ltd., Near Water Filtration Plant, CAAQMS-1,
Sarlanagar, Maihar Dist. Satna (M.P.)**

(December - 2017)

| Sr. No. | Date | AQI No. | AQI Code | AQI Status | Prominent Pollutant |
|---------|------------|-------------------|----------|--------------|---------------------|
| 1 | 01/12/2017 | Insufficient Data | - | - | - |
| 2 | 02/12/2017 | Insufficient Data | - | - | - |
| 3 | 03/12/2017 | Insufficient Data | - | - | - |
| 4 | 04/12/2017 | Insufficient Data | - | - | - |
| 5 | 05/12/2017 | Insufficient Data | - | - | - |
| 6 | 06/12/2017 | Insufficient Data | - | - | - |
| 7 | 07/12/2017 | Insufficient Data | - | - | - |
| 8 | 08/12/2017 | Insufficient Data | - | - | - |
| 9 | 09/12/2017 | Insufficient Data | - | - | - |
| 10 | 10/12/2017 | Insufficient Data | - | - | - |
| 11 | 11/12/2017 | Insufficient Data | - | - | - |
| 12 | 12/12/2017 | Insufficient Data | - | - | - |
| 13 | 13/12/2017 | Insufficient Data | - | - | - |
| 14 | 14/12/2017 | Insufficient Data | - | - | - |
| 15 | 15/12/2017 | Insufficient Data | - | - | - |
| 16 | 16/12/2017 | Insufficient Data | - | - | - |
| 17 | 17/12/2017 | Insufficient Data | - | - | - |
| 18 | 18/12/2017 | Insufficient Data | - | - | - |
| 19 | 19/12/2017 | Insufficient Data | - | - | - |
| 20 | 20/12/2017 | Insufficient Data | - | - | - |
| 21 | 21/12/2017 | Insufficient Data | - | - | - |
| 22 | 22/12/2017 | Insufficient Data | - | - | - |
| 23 | 23/12/2017 | Insufficient Data | - | - | - |
| 24 | 24/12/2017 | Insufficient Data | - | - | - |
| 25 | 25/12/2017 | Insufficient Data | - | - | - |
| 26 | 26/12/2017 | Insufficient Data | - | - | - |
| 27 | 27/12/2017 | Insufficient Data | - | - | - |
| 28 | 28/12/2017 | Insufficient Data | - | - | - |
| 29 | 29/12/2017 | Insufficient Data | - | - | - |
| 30 | 30/12/2017 | Insufficient Data | - | - | - |
| 31 | 31/12/2017 | 92 | | Satisfactory | PM10 |

I.D. – Insufficient Data

