

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,  
Rewa Road, Dist. Satna (M.P.)**

**(December - 2019)**

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/12/2019	No Data	-	-	-
2	02/12/2019	69		Satisfactory	PM <sub>2.5</sub>
3	03/12/2019	69		Satisfactory	PM <sub>2.5</sub>
4	04/12/2019	69		Satisfactory	PM <sub>2.5</sub>
5	05/12/2019	54		Satisfactory	PM <sub>2.5</sub>
6	06/12/2019	66		Satisfactory	PM <sub>10</sub>
7	07/12/2019	67		Satisfactory	PM <sub>10</sub>
8	08/12/2019	58		Satisfactory	PM <sub>10</sub>
9	09/12/2019	268		Poor	PM <sub>2.5</sub>
10	10/12/2019	87		Satisfactory	PM <sub>10</sub>
11	11/12/2019	88		Satisfactory	PM <sub>10</sub>
12	12/12/2019	57		Satisfactory	PM <sub>10</sub>
13	13/12/2019	28		Good	NO <sub>x</sub>
14	14/12/2019	No Data	-	-	-
15	15/12/2019	No Data	-	-	-
16	16/12/2019	No Data	-	-	-
17	17/12/2019	No Data	-	-	-
18	18/12/2019	No Data	-	-	-
19	19/12/2019	102		Moderate	PM <sub>10</sub>
20	20/12/2019	69		Satisfactory	PM <sub>10</sub>
21	21/12/2019	81		Satisfactory	PM <sub>10</sub>
22	22/12/2019	132		Moderate	PM <sub>10</sub>
23	23/12/2019	No Data	-	-	-
24	24/12/2019	No Data	-	-	-
25	25/12/2019	No Data	-	-	-
26	26/12/2019	No Data	-	-	-
27	27/12/2019	No Data	-	-	-
28	28/12/2019	No Data	-	-	-
29	29/12/2019	No Data	-	-	-
30	30/12/2019	No Data	-	-	-
31	31/12/2019	No Data	-	-	-