

**Premises of M/s. KJS Cement Ltd., CAAQMS-1, 17, Bandhavgarh Colony, Satna
(M.P.)**

(December - 2020)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/12/2020	61		Satisfactory	PM ₁₀
2	02/12/2020	92		Satisfactory	PM ₁₀
3	03/12/2020	170		Moderate	PM ₁₀
4	04/12/2020	146		Moderate	PM ₁₀
5	05/12/2020	147		Moderate	PM ₁₀
6	06/12/2020	168		Moderate	PM ₁₀
7	07/12/2020	135		Moderate	PM ₁₀
8	08/12/2020	208		Poor	PM ₁₀
9	09/12/2020	155		Moderate	PM ₁₀
10	10/12/2020	239		Poor	PM ₁₀
11	11/12/2020	80		Satisfactory	PM ₁₀
12	12/12/2020	103		Moderate	PM _{2.5}
13	13/12/2020	110		Moderate	PM _{2.5}
14	14/12/2020	83		Satisfactory	PM _{2.5}
15	15/12/2020	68		Satisfactory	PM _{2.5}
16	16/12/2020	70		Satisfactory	PM _{2.5}
17	17/12/2020	75		Satisfactory	PM _{2.5}
18	18/12/2020	69		Satisfactory	PM _{2.5}
19	19/12/2020	92		Satisfactory	PM ₁₀
20	20/12/2020	82		Satisfactory	PM ₁₀
21	21/12/2020	78		Satisfactory	PM ₁₀
22	22/12/2020	106		Moderate	PM ₁₀
23	23/12/2020	92		Satisfactory	PM ₁₀
24	24/12/2020	115		Moderate	PM ₁₀
25	25/12/2020	123		Moderate	PM _{2.5}
26	26/12/2020	104		Moderate	PM ₁₀
27	27/12/2020	123		Moderate	PM ₁₀
28	28/12/2020	89		Satisfactory	PM ₁₀
29	29/12/2020	74		Satisfactory	PM _{2.5}
30	30/12/2020	63		Satisfactory	PM ₁₀
31	31/12/2020	68		Satisfactory	PM _{2.5}