

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,
Rewa Road, Dist. Satna (M.P.)**

(December - 2020)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/12/2020	83		Satisfactory	PM ₁₀
2	02/12/2020	96		Satisfactory	PM ₁₀
3	03/12/2020	90		Satisfactory	PM ₁₀
4	04/12/2020	76		Satisfactory	PM ₁₀
5	05/12/2020	85		Satisfactory	PM ₁₀
6	06/12/2020	86		Satisfactory	PM ₁₀
7	07/12/2020	70		Satisfactory	PM ₁₀
8	08/12/2020	74		Satisfactory	PM ₁₀
9	09/12/2020	79		Satisfactory	PM ₁₀
10	10/12/2020	94		Satisfactory	PM ₁₀
11	11/12/2020	63		Satisfactory	PM ₁₀
12	12/12/2020	36		Good	PM _{2.5}
13	13/12/2020	38		Good	PM _{2.5}
14	14/12/2020	32		Good	PM _{2.5}
15	15/12/2020	32		Good	PM _{2.5}
16	16/12/2020	69		Satisfactory	PM _{2.5}
17	17/12/2020	84		Satisfactory	PM _{2.5}
18	18/12/2020	96		Satisfactory	PM ₁₀
19	19/12/2020	108		Moderate	PM ₁₀
20	20/12/2020	94		Satisfactory	PM ₁₀
21	21/12/2020	86		Satisfactory	PM ₁₀
22	22/12/2020	110		Moderate	PM ₁₀
23	23/12/2020	No Data	-	-	-
24	24/12/2020	No Data	-	-	-
25	25/12/2020	No Data	-	-	-
26	26/12/2020	No Data	-	-	-
27	27/12/2020	No Data	-	-	-
28	28/12/2020	No Data	-	-	-
29	29/12/2020	No Data	-	-	-
30	30/12/2020	No Data	-	-	-
31	31/12/2020	No Data	-	-	-