

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,  
Rewa Road, Dist. Satna (M.P.)**

**(February - 2019)**

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/02/2019	53		Satisfactory	PM <sub>10</sub>
2	02/02/2019	71		Satisfactory	PM <sub>10</sub>
3	03/02/2019	82		Satisfactory	PM <sub>10</sub>
4	04/02/2019	78		Satisfactory	PM <sub>10</sub>
5	05/02/2019	51		Satisfactory	PM <sub>10</sub>
6	06/02/2019	59		Satisfactory	PM <sub>10</sub>
7	07/02/2019	43		Good	PM <sub>10</sub>
8	08/02/2019	34		Good	PM <sub>10</sub>
9	09/02/2019	38		Good	PM <sub>10</sub>
10	10/02/2019	62		Satisfactory	PM <sub>10</sub>
11	11/02/2019	64		Satisfactory	PM <sub>10</sub>
12	12/02/2019	56		Satisfactory	PM <sub>10</sub>
13	13/02/2019	51		Satisfactory	PM <sub>10</sub>
14	14/02/2019	34		Good	PM <sub>10</sub>
15	15/02/2019	31		Good	NO <sub>x</sub>
16	16/02/2019	39		Good	PM <sub>2.5</sub>
17	17/02/2019	38		Good	PM <sub>10</sub>
18	18/02/2019	44		Good	PM <sub>10</sub>
19	19/02/2019	67		Satisfactory	PM <sub>10</sub>
20	20/02/2019	65		Satisfactory	PM <sub>10</sub>
21	21/02/2019	44		Good	PM <sub>10</sub>
22	22/02/2019	38		Good	PM <sub>10</sub>
23	23/02/2019	43		Good	PM <sub>10</sub>
24	24/02/2019	44		Good	PM <sub>10</sub>
25	25/02/2019	45		Good	PM <sub>10</sub>
26	26/02/2019	53		Satisfactory	PM <sub>10</sub>
27	27/02/2019	36		Good	PM <sub>10</sub>
28	28/02/2019	34		Good	PM <sub>10</sub>
		-	-	-	-
		-	-	-	-
		-	-	-	-