

**Premises of M/s. KJS Cement Ltd., CAAQMS-2, 17, Bandhavgarh Colony, Satna
(M.P.)**

(February - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/02/2019	74		Satisfactory	NO _x
2	02/02/2019	65		Satisfactory	NO _x
3	03/02/2019	62		Satisfactory	NO _x
4	04/02/2019	66		Satisfactory	NO _x
5	05/02/2019	64		Satisfactory	NO _x
6	06/02/2019	55		Satisfactory	NO _x
7	07/02/2019	51		Satisfactory	NO _x
8	08/02/2019	33		Good	NO _x
9	09/02/2019	40		Good	NO _x
10	10/02/2019	49		Good	NO _x
11	11/02/2019	68		Satisfactory	NO _x
12	12/02/2019	72		Satisfactory	NO _x
13	13/02/2019	77		Satisfactory	NO _x
14	14/02/2019	59		Satisfactory	NO _x
15	15/02/2019	43		Good	NO _x
16	16/02/2019	41		Good	NO _x
17	17/02/2019	43		Good	NO _x
18	18/02/2019	45		Good	PM ₁₀
19	19/02/2019	60		Satisfactory	NO _x
20	20/02/2019	64		Satisfactory	NO _x
21	21/02/2019	65		Satisfactory	NO _x
22	22/02/2019	62		Satisfactory	NO _x
23	23/02/2019	62		Satisfactory	NO _x
24	24/02/2019	59		Satisfactory	NO _x
25	25/02/2019	61		Satisfactory	NO _x
26	26/02/2019	65		Satisfactory	PM ₁₀
27	27/02/2019	57		Satisfactory	PM ₁₀
28	28/02/2019	191		Moderate	PM ₁₀
		-	-	-	-
		-	-	-	-
		-	-	-	-