

**Premises of M/s. Maihar Cement Ltd., CAAQMS-1, Near Water Filtration  
Plant, Sarlanagar, Maihar Dist. Satna (M.P.)**

**(February - 2019)**

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/02/2019	36		Good	PM <sub>10</sub>
2	02/02/2019	61		Satisfactory	PM <sub>10</sub>
3	03/02/2019	40		Good	PM <sub>10</sub>
4	04/02/2019	59		Satisfactory	PM <sub>10</sub>
5	05/02/2019	48		Good	PM <sub>10</sub>
6	06/02/2019	51		Satisfactory	PM <sub>10</sub>
7	07/02/2019	51		Satisfactory	PM <sub>10</sub>
8	08/02/2019	35		Good	PM <sub>10</sub>
9	09/02/2019	27		Good	PM <sub>10</sub>
10	10/02/2019	24		Good	PM <sub>10</sub>
11	11/02/2019	43		Good	PM <sub>10</sub>
12	12/02/2019	38		Good	PM <sub>10</sub>
13	13/02/2019	42		Good	PM <sub>10</sub>
14	14/02/2019	42		Good	PM <sub>10</sub>
15	15/02/2019	23		Good	PM <sub>10</sub>
16	16/02/2019	28		Good	PM <sub>10</sub>
17	17/02/2019	26		Good	PM <sub>10</sub>
18	18/02/2019	19		Good	PM <sub>10</sub>
19	19/02/2019	28		Good	PM <sub>10</sub>
20	20/02/2019	46		Good	PM <sub>10</sub>
21	21/02/2019	34		Good	PM <sub>10</sub>
22	22/02/2019	32		Good	PM <sub>10</sub>
23	23/02/2019	30		Good	PM <sub>10</sub>
24	24/02/2019	25		Good	PM <sub>10</sub>
25	25/02/2019	30		Good	PM <sub>10</sub>
26	26/02/2019	27		Good	PM <sub>10</sub>
27	27/02/2019	27		Good	PM <sub>10</sub>
28	28/02/2019	23		Good	PM <sub>10</sub>
		-	-	-	-
		-	-	-	-
		-	-	-	-