

**Premises of M/s. Reliance Cement Co. Pvt. Ltd. (Unit-1), CAAQMS-2, P.O.
Itahar, Bharouli, Dist. Satna (M.P.)**

(January - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/01/2019	69		Satisfactory	PM ₁₀
2	02/01/2019	67		Satisfactory	PM ₁₀
3	03/01/2019	63		Satisfactory	PM ₁₀
4	04/01/2019	72		Satisfactory	PM ₁₀
5	05/01/2019	63		Satisfactory	PM ₁₀
6	06/01/2019	57		Satisfactory	PM ₁₀
7	07/01/2019	74		Satisfactory	PM ₁₀
8	08/01/2019	56		Satisfactory	PM ₁₀
9	09/01/2019	61		Satisfactory	PM ₁₀
10	10/01/2019	62		Satisfactory	PM ₁₀
11	11/01/2019	58		Satisfactory	PM ₁₀
12	12/01/2019	68		Satisfactory	PM ₁₀
13	13/01/2019	79		Satisfactory	PM ₁₀
14	14/01/2019	64		Satisfactory	PM ₁₀
15	15/01/2019	61		Satisfactory	PM ₁₀
16	16/01/2019	61		Satisfactory	PM ₁₀
17	17/01/2019	66		Satisfactory	PM ₁₀
18	18/01/2019	72		Satisfactory	PM ₁₀
19	19/01/2019	76		Satisfactory	PM ₁₀
20	20/01/2019	77		Satisfactory	PM ₁₀
21	21/01/2019	65		Satisfactory	PM ₁₀
22	22/01/2019	46		Good	PM ₁₀
23	23/01/2019	56		Satisfactory	PM ₁₀
24	24/01/2019	58		Satisfactory	PM ₁₀
25	25/01/2019	47		Good	PM ₁₀
26	26/01/2019	45		Good	PM ₁₀
27	27/01/2019	44		Good	PM ₁₀
28	28/01/2019	43		Good	PM ₁₀
29	29/01/2019	53		Satisfactory	PM ₁₀
30	30/01/2019	61		Satisfactory	PM ₁₀
31	31/01/2019	49		Good	PM ₁₀