

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,
Rewa Road, Dist. Satna (M.P.)**

(January - 2020)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/01/2020	No Data	-	-	-
2	02/01/2020	No Data	-	-	-
3	03/01/2020	No Data	-	-	-
4	04/01/2020	95		Satisfactory	PM ₁₀
5	05/01/2020	95		Satisfactory	PM ₁₀
6	06/01/2020	95		Satisfactory	PM ₁₀
7	07/01/2020	95		Satisfactory	PM ₁₀
8	08/01/2020	95		Satisfactory	PM ₁₀
9	09/01/2020	54		Satisfactory	PM ₁₀
10	10/01/2020	54		Satisfactory	PM ₁₀
11	11/01/2020	88		Satisfactory	PM ₁₀
12	12/01/2020	77		Satisfactory	PM ₁₀
13	13/01/2020	No Data	-	-	-
14	14/01/2020	No Data	-	-	-
15	15/01/2020	No Data	-	-	-
16	16/01/2020	No Data	-	-	-
17	17/01/2020	50		Good	CO
18	18/01/2020	63		Satisfactory	CO
19	19/01/2020	131		Moderate	PM _{2.5}
20	20/01/2020	72		Satisfactory	PM ₁₀
21	21/01/2020	59		Satisfactory	PM ₁₀
22	22/01/2020	59		Satisfactory	PM ₁₀
23	23/01/2020	59		Satisfactory	PM ₁₀
24	24/01/2020	59		Satisfactory	PM ₁₀
25	25/01/2020	59		Satisfactory	PM ₁₀
26	26/01/2020	59		Satisfactory	PM ₁₀
27	27/01/2020	59		Satisfactory	PM ₁₀
28	28/01/2020	59		Satisfactory	PM ₁₀
29	29/01/2020	59		Satisfactory	PM ₁₀
30	30/01/2020	70		Satisfactory	PM ₁₀
31	31/01/2020	49		Good	PM ₁₀