

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,
Rewa Road, Dist. Satna (M.P.)**

(July - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/07/2019	63		Satisfactory	PM ₁₀
2	02/07/2019	31		Good	PM _{2.5}
3	03/07/2019	144		Moderate	PM ₁₀
4	04/07/2019	23		Good	PM ₁₀
5	05/07/2019	26		Good	NO _x
6	06/07/2019	27		Good	NO _x
7	07/07/2019	29		Good	PM ₁₀
8	08/07/2019	57		Satisfactory	PM ₁₀
9	09/07/2019	93		Satisfactory	PM ₁₀
10	10/07/2019	28		Good	PM ₁₀
11	11/07/2019	49		Good	PM ₁₀
12	12/07/2019	101		Moderate	PM ₁₀
13	13/07/2019	95		Satisfactory	PM ₁₀
14	14/07/2019	93		Satisfactory	PM ₁₀
15	15/07/2019	62		Satisfactory	PM ₁₀
16	16/07/2019	50		Good	PM ₁₀
17	17/07/2019	110		Moderate	PM ₁₀
18	18/07/2019	102		Moderate	PM _{2.5}
19	19/07/2019	89		Satisfactory	PM _{2.5}
20	20/07/2019	45		Good	PM ₁₀
21	21/07/2019	91		Satisfactory	PM ₁₀
22	22/07/2019	93		Satisfactory	PM _{2.5}
23	23/07/2019	57		Satisfactory	PM ₁₀
24	24/07/2019	50		Good	PM ₁₀
25	25/07/2019	49		Good	PM ₁₀
26	26/07/2019	44		Good	PM ₁₀
27	27/07/2019	48		Good	PM _{2.5}
28	28/07/2019	54		Satisfactory	PM ₁₀
29	29/07/2019	48		Good	PM ₁₀
30	30/07/2019	58		Satisfactory	PM ₁₀
31	31/07/2019	47		Good	PM ₁₀