

Premises of M/s. KJS Cement Ltd., CAAQMS-3, 17, Bandhavgarh Colony, Satna  
(M.P.)

(July - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/07/2019	46		Good	PM <sub>10</sub>
2	02/07/2019	45		Good	PM <sub>10</sub>
3	03/07/2019	No Data	-	-	-
4	04/07/2019	No Data	-	-	-
5	05/07/2019	No Data	-	-	-
6	06/07/2019	No Data	-	-	-
7	07/07/2019	No Data	-	-	-
8	08/07/2019	No Data	-	-	-
9	09/07/2019	No Data	-	-	-
10	10/07/2019	No Data	-	-	-
11	11/07/2019	No Data	-	-	-
12	12/07/2019	65		Satisfactory	PM <sub>10</sub>
13	13/07/2019	75		Satisfactory	PM <sub>10</sub>
14	14/07/2019	77		Satisfactory	PM <sub>10</sub>
15	15/07/2019	102		Moderate	PM <sub>10</sub>
16	16/07/2019	86		Satisfactory	PM <sub>10</sub>
17	17/07/2019	85		Satisfactory	PM <sub>10</sub>
18	18/07/2019	69		Satisfactory	PM <sub>10</sub>
19	19/07/2019	75		Satisfactory	PM <sub>10</sub>
20	20/07/2019	70		Satisfactory	PM <sub>10</sub>
21	21/07/2019	54		Satisfactory	PM <sub>10</sub>
22	22/07/2019	55		Satisfactory	PM <sub>10</sub>
23	23/07/2019	57		Satisfactory	PM <sub>10</sub>
24	24/07/2019	32		Good	NO <sub>x</sub>
25	25/07/2019	30		Good	PM <sub>10</sub>
26	26/07/2019	29		Good	PM <sub>10</sub>
27	27/07/2019	37		Good	PM <sub>10</sub>
28	28/07/2019	35		Good	PM <sub>10</sub>
29	29/07/2019	30		Good	PM <sub>10</sub>
30	30/07/2019	32		Good	PM <sub>10</sub>
31	31/07/2019	33		Good	PM <sub>10</sub>