

**Premises of M/s. Maihar Cement Ltd., Near Water Filtration Plant,
CAAQMS-1, Sarlanagar, Maihar Dist. Satna (M.P.)**

(November - 2017)

Sr. No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/11/2017	Insufficient Data	-	-	-
2	02/11/2017	Insufficient Data	-	-	-
3	03/11/2017	Insufficient Data	-	-	-
4	04/11/2017	Insufficient Data	-	-	-
5	05/11/2017	Insufficient Data	-	-	-
6	06/11/2017	Insufficient Data	-	-	-
7	07/11/2017	Insufficient Data	-	-	-
8	08/11/2017	Insufficient Data	-	-	-
9	09/11/2017	Insufficient Data	-	-	-
10	10/11/2017	Insufficient Data	-	-	-
11	11/11/2017	Insufficient Data	-	-	-
12	12/11/2017	Insufficient Data	-	-	-
13	13/11/2017	Insufficient Data	-	-	-
14	14/11/2017	Insufficient Data	-	-	-
15	15/11/2017	Insufficient Data	-	-	-
16	16/11/2017	Insufficient Data	-	-	-
17	17/11/2017	Insufficient Data	-	-	-
18	18/11/2017	Insufficient Data	-	-	-
19	19/11/2017	Insufficient Data	-	-	-
20	20/11/2017	Insufficient Data	-	-	-
21	21/11/2017	Insufficient Data	-	-	-
22	22/11/2017	Insufficient Data	-	-	-
23	23/11/2017	Insufficient Data	-	-	-
24	24/11/2017	Insufficient Data	-	-	-
25	25/11/2017	Insufficient Data	-	-	-
26	26/11/2017	Insufficient Data	-	-	-
27	27/11/2017	Insufficient Data	-	-	-
28	28/11/2017	Insufficient Data	-	-	-
29	29/11/2017	Insufficient Data	-	-	-
30	30/11/2017	Insufficient Data	-	-	-