

Premises of M/s. KJS Cement Ltd., CAAQMS-3, 17, Bandhavgarh Colony, Satna  
(M.P.)

(November - 2018)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/11/2018	293		Poor	NO <sub>x</sub>
2	02/11/2018	315		Very Poor	NO <sub>x</sub>
3	03/11/2018	326		Very Poor	NO <sub>x</sub>
4	04/11/2018	312		Very Poor	NO <sub>x</sub>
5	05/11/2018	301		Very Poor	NO <sub>x</sub>
6	06/11/2018	198		Moderate	PM <sub>10</sub>
7	07/11/2018	35		Good	PM <sub>10</sub>
8	08/11/2018	39		Good	PM <sub>10</sub>
9	09/11/2018	46		Good	PM <sub>10</sub>
10	10/11/2018	49		Good	PM <sub>10</sub>
11	11/11/2018	47		Good	PM <sub>10</sub>
12	12/11/2018	45		Good	PM <sub>10</sub>
13	13/11/2018	35		Good	PM <sub>10</sub>
14	14/11/2018	30		Good	PM <sub>10</sub>
15	15/11/2018	35		Good	PM <sub>10</sub>
16	16/11/2018	40		Good	PM <sub>10</sub>
17	17/11/2018	35		Good	PM <sub>10</sub>
18	18/11/2018	38		Good	PM <sub>10</sub>
19	19/11/2018	39		Good	PM <sub>10</sub>
20	20/11/2018	36		Good	PM <sub>10</sub>
21	21/11/2018	I.D.	-	-	-
22	22/11/2018	24		Good	PM <sub>10</sub>
23	23/11/2018	30		Good	PM <sub>10</sub>
24	24/11/2018	28		Good	PM <sub>10</sub>
25	25/11/2018	26		Good	PM <sub>10</sub>
26	26/11/2018	33		Good	PM <sub>10</sub>
27	27/11/2018	43		Good	PM <sub>10</sub>
28	28/11/2018	44		Good	PM <sub>10</sub>
29	29/11/2018	42		Good	PM <sub>10</sub>
30	30/11/2018	44		Good	PM <sub>10</sub>
		-	-	-	-

I.D. – Insufficient Data