

**Premises of M/s. Maihar Cement Ltd., Near Water Filtration Plant,
CAAQMS-1, Sarlanagar, Maihar Dist. Satna (M.P.)**

(October -2017)

Sr. No.	Date	AQI No.	AQI Code	AQI Status
1	01-10-2017	Data not received	N.A.	N.A.
2	02-10-2017	Data not received	N.A.	N.A.
3	03-10-2017	Data not received	N.A.	N.A.
4	04-10-2017	Data not received	N.A.	N.A.
5	05-10-2017	Data not received	N.A.	N.A.
6	06-10-2017	Data not received	N.A.	N.A.
7	07-10-2017	Data not received	N.A.	N.A.
8	08-10-2017	Data not received	N.A.	N.A.
9	09-10-2017	Data not received	N.A.	N.A.
10	10-10-2017	Data not received	N.A.	N.A.
11	11-10-2017	Data not received	N.A.	N.A.
12	12-10-2017	Data not received	N.A.	N.A.
13	13-10-2017	Data not received	N.A.	N.A.
14	14-10-2017	Data not received	N.A.	N.A.
15	15-10-2017	Data not received	N.A.	N.A.
16	16-10-2017	Data not received	N.A.	N.A.
17	17-10-2017	Data not received	N.A.	N.A.
18	18-10-2017	Data not received	N.A.	N.A.
19	19-10-2017	Data not received	N.A.	N.A.
20	20-10-2017	Data not received	N.A.	N.A.
21	21-10-2017	Data not received	N.A.	N.A.
22	22-10-2017	Data not received	N.A.	N.A.
23	23-10-2017	Data not received	N.A.	N.A.

24	24-10-2017	Data not received	N.A.	N.A.
25	25-10-2017	Data not received	N.A.	N.A.
26	26-10-2017	Data not received	N.A.	N.A.
27	27-10-2017	Data not received	N.A.	N.A.
28	28-10-2017	Data not received	N.A.	N.A.
29	29-10-2017	Data not received	N.A.	N.A.
30	30-10-2017	Data not received	N.A.	N.A.
31	31-10-2017	Data not received	N.A.	N.A.