

CAAQMS-2, Premises of M/s. KJS Cement Ltd. 17, Bandhavgarh Colony, Satna

(October - 2018)

Sr.no	DATE	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/10/2018	52		Satisfactory	PM ₁₀
2	02/10/2018	54		Satisfactory	PM ₁₀
3	03/10/2018	44		Good	PM ₁₀
4	04/10/2018	47		Good	PM ₁₀
5	05/10/2018	45		Good	PM ₁₀
6	06/10/2018	45		Good	PM ₁₀
7	07/10/2018	I.D.	-	-	-
8	08/10/2018	42		Good	PM ₁₀
9	09/10/2018	20		Good	PM ₁₀
10	10/10/2018	46		Good	PM ₁₀
11	11/10/2018	62		Satisfactory	PM ₁₀
12	12/10/2018	48		Good	PM ₁₀
13	13/10/2018	113		Moderate	PM ₁₀
14	14/10/2018	91		Satisfactory	NO _x
15	15/10/2018	149		Moderate	PM ₁₀
16	16/10/2018	115		Moderate	PM ₁₀
17	17/10/2018	139		Moderate	PM ₁₀
18	18/10/2018	No Data	-	-	-
19	19/10/2018	No Data	-	-	-
20	20/10/2018	No Data	-	-	-
21	21/10/2018	No Data	-	-	-
22	22/10/2018	96		Satisfactory	PM ₁₀
23	23/10/2018	85		Satisfactory	PM ₁₀
24	24/10/2018	67		Satisfactory	NO _x
25	25/10/2018	69		Satisfactory	PM ₁₀
26	26/10/2018	83		Satisfactory	PM ₁₀
27	27/10/2018	78		Satisfactory	NO _x
28	28/10/2018	81		Satisfactory	NO _x
29	29/10/2018	88		Satisfactory	NO _x
30	30/10/2018	91		Satisfactory	NO _x
31	31/10/2018	99		Satisfactory	NO _x

I.D. – Insufficient Data