

## CAAQMS-3, Premises of M/s. KJS Cement Ltd. 17, Bandhavgarh Colony, Satna

**(October - 2018)**

Sr.no	DATE	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/10/2018	309		Very Poor	NO <sub>x</sub>
2	02/10/2018	278		Poor	NO <sub>x</sub>
3	03/10/2018	235		Poor	NO <sub>x</sub>
4	04/10/2018	71		Satisfactory	NO <sub>x</sub>
5	05/10/2018	197		Moderate	NO <sub>x</sub>
6	06/10/2018	265		Poor	NO <sub>x</sub>
7	07/10/2018	227		Poor	NO <sub>x</sub>
8	08/10/2018	I.D.	-	-	-
9	09/10/2018	306		Very Poor	NO <sub>x</sub>
10	10/10/2018	215		Poor	NO <sub>x</sub>
11	11/10/2018	312		Very Poor	NO <sub>x</sub>
12	12/10/2018	I.D.	-	-	-
13	13/10/2018	348		Very Poor	NO <sub>x</sub>
14	14/10/2018	349		Very Poor	NO <sub>x</sub>
15	15/10/2018	248		Poor	NO <sub>x</sub>
16	16/10/2018	245		Poor	NO <sub>x</sub>
17	17/10/2018	270		Poor	NO <sub>x</sub>
18	18/10/2018	No Data	-	-	-
19	19/10/2018	No Data	-	-	-
20	20/10/2018	No Data	-	-	-
21	21/10/2018	No Data	-	-	-
22	22/10/2018	291		Poor	NO <sub>x</sub>
23	23/10/2018	243		Poor	NO <sub>x</sub>
24	24/10/2018	217		Poor	NO <sub>x</sub>
25	25/10/2018	340		Very Poor	NO <sub>x</sub>
26	26/10/2018	197		Moderate	NO <sub>x</sub>
27	27/10/2018	No Data	-	-	-
28	28/10/2018	No Data	-	-	-
29	29/10/2018	322		Very Poor	NO <sub>x</sub>
30	30/10/2018	321		Very Poor	NO <sub>x</sub>
31	31/10/2018	272		Poor	NO <sub>x</sub>

I.D. – Insufficient Data