

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,
Rewa Road, Dist. Satna (M.P.)**

(October - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/10/2019	No Data	-	-	-
2	02/10/2019	No Data	-	-	-
3	03/10/2019	No Data	-	-	-
4	04/10/2019	No Data	-	-	-
5	05/10/2019	No Data	-	-	-
6	06/10/2019	No Data	-	-	-
7	07/10/2019	130		Moderate	PM ₁₀
8	08/10/2019	114		Moderate	PM ₁₀
9	09/10/2019	104		Moderate	PM ₁₀
10	10/10/2019	113		Moderate	PM ₁₀
11	11/10/2019	100		Satisfactory	PM ₁₀
12	12/10/2019	102		Moderate	PM ₁₀
13	13/10/2019	107		Moderate	PM ₁₀
14	14/10/2019	133		Moderate	PM ₁₀
15	15/10/2019	114		Moderate	PM ₁₀
16	16/10/2019	120		Moderate	PM ₁₀
17	17/10/2019	119		Moderate	PM ₁₀
18	18/10/2019	105		Moderate	PM ₁₀
19	19/10/2019	No Data	-	-	-
20	20/10/2019	No Data	-	-	-
21	21/10/2019	No Data	-	-	-
22	22/10/2019	No Data	-	-	-
23	23/10/2019	No Data	-	-	-
24	24/10/2019	No Data	-	-	-
25	25/10/2019	No Data	-	-	-
26	26/10/2019	No Data	-	-	-
27	27/10/2019	No Data	-	-	-
28	28/10/2019	No Data	-	-	-
29	29/10/2019	No Data	-	-	-
30	30/10/2019	No Data	-	-	-
31	31/10/2019	No Data	-	-	-