

## CAAQMS-3, Premises of M/s. KJS Cement Ltd. 17, Bandhavgarh Colony, Satna

**(September - 2018)**

Sr.no	DATE	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/09/2018	53		Satisfactory	SO <sub>2</sub>
2	02/09/2018	55		Satisfactory	SO <sub>2</sub>
3	03/09/2018	57		Satisfactory	PM <sub>2.5</sub>
4	04/09/2018	54		Satisfactory	SO <sub>2</sub>
5	05/09/2018	56		Satisfactory	SO <sub>2</sub>
6	06/09/2018	52		Satisfactory	SO <sub>2</sub>
7	07/09/2018	55		Satisfactory	SO <sub>2</sub>
8	08/09/2018	56		Satisfactory	SO <sub>2</sub>
9	09/09/2018	66		Satisfactory	NO <sub>x</sub>
10	10/09/2018	57		Satisfactory	NO <sub>x</sub>
11	11/09/2018	55		Satisfactory	NO <sub>x</sub>
12	12/09/2018	I.D	-	-	-
13	13/09/2018	106		Moderate	PM <sub>2.5</sub>
14	14/09/2018	261		Poor	PM <sub>2.5</sub>
15	15/09/2018	327		Very Poor	PM <sub>2.5</sub>
16	16/09/2018	334		Very Poor	NO <sub>x</sub>
17	17/09/2018	333		Very Poor	NO <sub>x</sub>
18	18/09/2018	343		Very Poor	NO <sub>x</sub>
19	19/09/2018	269		Poor	PM <sub>2.5</sub>
20	20/09/2018	297		Poor	NO <sub>x</sub>
21	21/09/2018	I.D	-	-	-
22	22/09/2018	246		Poor	NO <sub>x</sub>
23	23/09/2018	415		Severe	NO <sub>x</sub>
24	24/09/2018	362		Very Poor	NO <sub>x</sub>
25	25/09/2018	I.D	-	-	-
26	26/09/2018	265		Poor	NO <sub>x</sub>
27	27/09/2018	I.D	-	-	-
28	28/09/2018	I.D	-	-	-
29	29/09/2018	I.D	-	-	-
30	30/09/2018	I.D	-	-	-
		-	-	-	-

I.D. – Insufficient Data