

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,
Rewa Road, Dist. Satna (M.P.)**

(September - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/09/2019	No Data	-	-	-
2	02/09/2019	No Data	-	-	-
3	03/09/2019	No Data	-	-	-
4	04/09/2019	59		Satisfactory	PM ₁₀
5	05/09/2019	80		Satisfactory	PM ₁₀
6	06/09/2019	No Data	-	-	-
7	07/09/2019	61		Satisfactory	PM ₁₀
8	08/09/2019	No Data	-	-	-
9	09/09/2019	No Data	-	-	-
10	10/09/2019	No Data	-	-	-
11	11/09/2019	No Data	-	-	-
12	12/09/2019	No Data	-	-	-
13	13/09/2019	No Data	-	-	-
14	14/09/2019	No Data	-	-	-
15	15/09/2019	No Data	-	-	-
16	16/09/2019	52		Satisfactory	CO
17	17/09/2019	No Data	-	-	-
18	18/09/2019	No Data	-	-	-
19	19/09/2019	No Data	-	-	-
20	20/09/2019	No Data	-	-	-
21	21/09/2019	No Data	-	-	-
22	22/09/2019	No Data	-	-	-
23	23/09/2019	No Data	-	-	-
24	24/09/2019	58		Satisfactory	CO
25	25/09/2019	No Data	-	-	-
26	26/09/2019	No Data	-	-	-
27	27/09/2019	No Data	-	-	-
28	28/09/2019	No Data	-	-	-
29	29/09/2019	No Data	-	-	-
30	30/09/2019	No Data	-	-	-
		-	-	-	-