

Premises of M/s. KJS Cement Ltd., CAAQMS-2, 17, Bandhavgarh Colony, Satna
(M.P.)

(September - 2019)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/09/2019	75		Satisfactory	CO
2	02/09/2019	78		Satisfactory	CO
3	03/09/2019	80		Satisfactory	CO
4	04/09/2019	81		Satisfactory	CO
5	05/09/2019	80		Satisfactory	CO
6	06/09/2019	78		Satisfactory	CO
7	07/09/2019	78		Satisfactory	CO
8	08/09/2019	78		Satisfactory	CO
9	09/09/2019	82		Satisfactory	CO
10	10/09/2019	81		Satisfactory	CO
11	11/09/2019	81		Satisfactory	CO
12	12/09/2019	88		Satisfactory	CO
13	13/09/2019	65		Satisfactory	CO
14	14/09/2019	35		Good	CO
15	15/09/2019	33		Good	CO
16	16/09/2019	34		Good	CO
17	17/09/2019	37		Good	CO
18	18/09/2019	38		Good	CO
19	19/09/2019	34		Good	CO
20	20/09/2019	35		Good	PM _{2.5}
21	21/09/2019	39		Good	PM ₁₀
22	22/09/2019	37		Good	PM ₁₀
23	23/09/2019	42		Good	PM _{2.5}
24	24/09/2019	37		Good	CO
25	25/09/2019	36		Good	CO
26	26/09/2019	35		Good	CO
27	27/09/2019	35		Good	CO
28	28/09/2019	34		Good	CO
29	29/09/2019	35		Good	CO
30	30/09/2019	43		Good	CO
		-	-	-	-