

**Premises of M/s. Prism Cement, CAAQMS-2, Near Material Store, Rajdeep,
Rewa Road, Dist. Satna (M.P.)**

(September - 2020)

Sr.No.	Date	AQI No.	AQI Code	AQI Status	Prominent Pollutant
1	01/09/2020	58		Satisfactory	PM ₁₀
2	02/09/2020	32		Good	PM ₁₀
3	03/09/2020	94		Satisfactory	PM ₁₀
4	04/09/2020	59		Satisfactory	PM ₁₀
5	05/09/2020	84		Satisfactory	PM ₁₀
6	06/09/2020	100		Satisfactory	PM ₁₀
7	07/09/2020	72		Satisfactory	PM ₁₀
8	08/09/2020	33		Good	PM ₁₀
9	09/09/2020	38		Good	PM ₁₀
10	10/09/2020	39		Good	PM ₁₀
11	11/09/2020	52		Satisfactory	PM ₁₀
12	12/09/2020	35		Good	PM ₁₀
13	13/09/2020	26		Good	PM _{2.5}
14	14/09/2020	36		Good	PM ₁₀
15	15/09/2020	33		Good	PM _{2.5}
16	16/09/2020	51		Satisfactory	PM ₁₀
17	17/09/2020	84		Satisfactory	PM ₁₀
18	18/09/2020	85		Satisfactory	PM ₁₀
19	19/09/2020	98		Satisfactory	PM ₁₀
20	20/09/2020	87		Satisfactory	PM ₁₀
21	21/09/2020	61		Satisfactory	PM ₁₀
22	22/09/2020	27		Good	PM ₁₀
23	23/09/2020	16		Good	PM ₁₀
24	24/09/2020	18		Good	PM _{2.5}
25	25/09/2020	40		Good	PM ₁₀
26	26/09/2020	62		Satisfactory	PM ₁₀
27	27/09/2020	68		Satisfactory	PM ₁₀
28	28/09/2020	63		Satisfactory	PM _{2.5}
29	29/09/2020	70		Satisfactory	PM _{2.5}
30	30/09/2020	73		Satisfactory	PM _{2.5}